




## PNEUMATIC SAMPLE CUTTER model CAP-21



The development and production of environment friendly packaging, with high performance and low cost, require constant Q.C. (quality control) and R&D (research and development).

The effective preparation of representative test pieces is a key point for paper and board physical tests that might not be forgotten by users.

The CAP-21 is used to prepare rapidly, safely and comfortably test pieces of corrugated with exact dimensions for physical testing within the rigid determinations of applicable standards.

This equipment pneumatically driven and has a extremely reliable operation due to its sturdy and accurate mechanical construction.

### MAJOR TECHNICAL CHARACTERISTICS

Maximum width of pre-cut stripe	160 mm
Standard cutting heights	(25, 32, 50, 60 and 63) mm
Maximum cutting thickness	12 mm

The equipment is delivered with a template of (100 x 250) mm for pre cut of the corrugated stripe.

### APPLICABLE STANDARDS

Compression ISO - ECT	ISO 3037
Compression TAPPI - SCT	ISO 13821 TAPPI T-811
Pin adhesion TES - PAT	TAPPI T-821

Power supply	Instrument quality compressed air
Consumption	6 bar, 0,1 m <sup>3</sup> /h
Dimensions	(840 x 400 x 130) mm (W x L x H)
Weight	21 kg

Note: due to constant development our equipment design and specifications are subject to change without notice.