

# **GBD-L Falling Dart Impact Tester**



## **Application**

The machine is designed according to GB/T 9639.1 and ASTM D1709-01 standards and specifications of the People's Republic of China. It is suitable for testing materials of thickness less than 1mm such as plastic films, sheets and steel plate coating. It is to measure the energy (in terms of mass) when materials such as plastic film and sheet sample are damaging under the free falling dart impact at a given



height. It can be applied to scientific research, production enterprises, research institutes and quality inspection institutions.

### **Standards**

ISO7765-1, GB/T 9639, GB/T 15267, ASTM D1709, JIS K7124

Specifications				
Item	Technical Parameters			
Test range	Method A:50~2000g, Method B:300~2000g			
Test precision	1g			
Weight of dart head	50-2000g,5g/weight increase, weight error≤0.5%			
Size of dart head	Method A:Φ38±1mm, Method B:Φ50±1mm			
Weight of weights	5g, 15g, 30g, 45g, 80g, 90g (8 pieces for each)			
Size of weights	Method A:Ф30mm, Method B:Ф45mm			
Impact height	1500mm/660mm			
Size of clip	Pneumatic clip, outer:150mm, inner:125mm			
Size of sample	180×180mm			
Gas source	compressed air, 0.6~0.8MPa			
Gas source port	Ф8mm gas tube			
Size	550×380×2300mm			
Weight	70kg			
Power supply	AC 220V,50Hz			
Power	1000W			



### **Features**

- ◆ LCD display test data.
- ◆ Easy operation, auto process data.
- ◆ Pneumatic clips.
- ◆ Automatically clip and release dart.
- ◆ Built-in printer can print report.
- ◆ Two test methods: Method A and Method B.

### **Configuration List**

A. Spa	re parts	()				
NO.	Name	Remark	Quantity			
1	Power cable		1 PC			
2	Aluminium dart head		1 PC			
3	Matching weights for method A	Aluminium 5g, stainless steel 15g,stainless steel 30g,stainless steel 80g ( 8 pieces for each one)	1 Set			
4	Stainless steel dart head		1PC			
5	Matching weights for method B	Aluminium 15g, stainless steel 45g,stainless steel 90g(8 pieces for each one)	1Set			
6	Aluminium rod		1PC			
7	Connection fittings of aluminium rod		4PCS			
8	Allen wrench		1Set			
9	Cross screwdriver	6-10mm	1PC			
10	Pneumatic clips	Installed in the instrument	1Set			
B、Optional parts						
NO.	Name Unit	Quantity	Remark			





1	Metrology Certificates				Optional
2	Air compressor				Optional
C、Use	er provide				•
1	Power supply 500W	220V	10A	3 holes socket	ground wire
2	Air source (such as air o	compres	ssor) s	specification 2.5HP、	8KG pressure
3	High-pres	sure air	pipe (	Ф6mm plastic pipe)	
4	Air filter	(filter o	dust, fil	lter oil, filter water)	

Note: GBPI is always committed to product innovation and improved performance, so accordingly product technical specifications are subject to change without notice. GBPI reserves the right to amend and the final power of interpretation.